

Ultraseal International produces White Paper on designing out the problem of porosity in casting

December 19, 2013



Ann Arbor, MI ([RPRN](#)) 12/19/13 — Ultraseal International has produced a white paper that will help automotive manufacturers and their suppliers minimise the problems caused by porosity in cast metal parts.

Entitled "*The Problems of Porosity in Casting and the*

Solution through Design and Vacuum Impregnation" it is freely available as a download on Ultraseal International's [website](#) .

The guide sets out what porosity is, how it occurs as a natural phenomenon in the diecasting process, the different types of porosity and how it can be countered, both through the design of a component part and by vacuum impregnation.

The vacuum impregnation process is explained, along with the characteristics of different types of porosity sealant, including modern recycling porosity sealants such as Ultraseal's global benchmark recycling sealant Rexeal 100™.

Stephen Hynes, Marketing Director of Ultraseal International, said: "Porosity is a characteristic of the casting process which can lead to a variety of problems from "spotting out" of paintwork to the failure of parts that have to be pressure-tight.

"However it can be controlled and sometimes eliminated and this is especially important in parts that have to operate under pressure, for example engine blocks and cylinder heads.

"There are also some general rules about how to minimise porosity through the design of parts and we address those in the white paper. It is highly recommended reading for those in the automotive supply chain."

Many automotive manufacturers and suppliers already use vacuum impregnation with porosity sealants as a routine quality enhancement as they want to avoid costly product recalls or extended warranty issues as a result of casting porosity.

Parts that undergo vacuum impregnation include air compressors, cam carriers, cylinder blocks, cylinder heads, clutch cases, fuel pumps, oil pans, oil sumps, timing chain covers, transmission cases, turbo chargers and water pumps.

Ultraseal International has been a leading innovator in the field of vacuum impregnation sealants and impregnation equipment for decades, being first to market with recycling impregnation sealants, first to market with modern methacrylate-based sealants and first to market front-loading impregnation equipment.

With headquarters in Coventry, UK, Ultraseal International has a truly global reach, having operations in China, India and the United States, an office in Japan and a network of 22 agents/distributors around the world.

To download the free guide, see [here](#)

Media Contact Name: Fiona Scott

Media E-mail: fiona@centurypr.co.uk

Media Phone: +44 (0) 24 7622 8881

Company Contact Name: Stephen Hynes

Company E-mail: StephenHynes@ultraseal.co.uk

Company Phone: +44 (0) 24 7625 8444

Filed Under: [BUSINESS NEWS](#), [PRESS RELEASE](#)

RUSH PR NEWS newswire and press release services at rushprnews.com /
Anne Howard annehowardpublicist.com

Content- Legal Responsibility - All material is copyrighted - You may repost but you MUST link back to the original post on your page and acknowledge Rush PR News as the news source. Rush PR News is not legally and/or morally responsible for content of press releases, opinions expressed or fact-checking.

Rush PR News cannot be held legally responsible for material published and distributed through its newswire service or published in its press-room and therefore cannot be sued for published material. Third-party must be contacted directly to dispute content.

Rush PR News is not the contact for material published.